Contents
and Subject Index

Pflanzenschutz-Nachrichten

»Bayer«

Volume 1965



Digitized by the Internet Archive
in 2025

https://archive.org/details/bayer-cropscience-journal_1965_index-contents

Contents

Volume 1965

Page

Ayad, N.:
Schistosomiasis control in irrigated areas 93

Behrenz, W., and Böcker, E.:
®Baygon, a new, promising public health insecticide of the organic carbamate group 53

Bravenboer, L.:
Cucumber production in Holland with special consideration to some crop protection problems 45

Fletcher, F.:
Comparative tests of three molluscicides NaPCP, $CuSO_4$, ®Bayluscide 153

Grewe, F., and Kaspers, H.:
®Morestan, a new fungicide of the 2,3-disubstituted quinoxaline group for controlling powdery mildews 1

Haas, G.:
Thirty months' experience with ®Baygon at the Zoological Garden, Wuppertal 82

Henschel, J.:
Rat infestation in the city-state of Hamburg, south of the Norderelbe, before and after the rat control operation of 1963 157

Legien, R.:
Control of schistosome dermatitis by ®Bayluscide 140

Medenwald, H., and Shiff, C. J.:
Laboratory and field experiments to determine the effect of ®Bayluscide on citrus trees 146

Schulze, G.:
Rat eradication and maintenance of the achieved state of clearance, from the aspect of the pest control operator 173

Simon, H.:
Area-wide rat control with guarantee time, from the aspect of the principals 165

Strufe, R.:
Importance and application of analytical methods for molluscicides in the field 123

Strufe, R.:
Laboratory methods for determining ®Bayluscide in water samples 130

Strufe, R., Dazo, B. C., and Dawood, J. K.:
Field and laboratory trials with ®Bayluscide in the Bilharziasis Control Pilot Project Egypt 49 110

Unterstenhöfer, G., and Kremer, F. W.:
New methods for controlling spider mites on fruit crops 24

Wäckers, R., and van den Berge, C.:
Experiences with ®Morestan in Dutch fruit farming and market gardening 34

Subject Index 1965

A

Acaricidal action of Morestan 25—32, 37—39
Acheta domesticus 58, 60—62, 72—74
Aëdes aegypti 58, 61, 62, 67—69, 78
Alder, windbreak plantings 41
Amblyomma hebraeum 54
American gooseberry mildew 12
Analytical methods for molluscicides 123—129
Anopheles 78
Ants 76, 86
Ants, red 84, 85, 86
Apple powdery mildew 1, 6, 7, 14, 34, 35, 36
Apple scab 1
Apricot mildew 11
Aqualin 105
Aster 15, 37
Astiban 106
Australorbis glabratus 153

B

Bayer 73 104
Bayer 36205 4
Bayer 39007 54, 78
Bayer Ss 2074 4
®Baygon 53—92
Baygon, biological properties 57—76
Baygon, chemical and physical properties 54—55
Baygon, formulations of 56
Baygon, synthesis of 55
®Bayluscide 102, 104, 110—155
Bayluscide, analytical methods for molluscicides in the field 123—129
Bayluscide, determination in the field 114—122
Bayluscide, determination in laboratory 110—114, 130—139
Bayluscide floating formulations 117—122
®Baytex 67, 73, 75—77
Bilharziasis 93 ff., 110 ff., 146
Binapacryl 1, 6, 7, 9, 10, 14, 36, 42
Biomphalaria alexandrina 111, 112, 113, 115
Blaberus fuscus 58, 60, 75, 76
Black currants 12, 36
®Blattanex 53 ff.
Bleaks 143
Boophilus microplus 54
Bugs 58
Bulinus truncatus 111, 112, 113, 115

C

Cantaloups 15
Captan 1, 7, 29, 38—42
Carbaryl 53
Centaurea 37
Chiggers 76
Chinomethionat 4, 17
Chrysanthemum 15, 37
Chrysomyia chloropyga 59
Cimex lectularius 59, 67, 71
Citrus trees, effect of Bayluscide on 146—152
Cladophora sp. 141
Cladosporium cucumerinum 45
Cockroaches 58, 62, 63—66, 74—76, 78, 79, 82—92
Codling moth 1
Colorimetric methods for determining Bayluscide 123—126
Coreopsis 37
Corynespora melonis 45
Coumarin derivative 157, 158
Crataegus 15, 37
Crickets 62, 74, 78
Cucumbers 13—15, 17, 34, 35, 37, 45—51
Cucurbit crops 15
Cucurbita ficifolia 45
Culex pipiens 58, 78
Culicoides species 76
Curative action 9
Currants, black 12, 36
$CuSO_4$ 153—155

D

DDT 77, 78
DDVP 56, 63, 67, 77
Diazinon 67, 72, 73, 77
Dibromochloropropane 45

Dichlorodiphenyltrichloroethane 72, 73
Dichloropropane + dichloropropene 45
Dieldrin 77, 78
O,O-diethyl-O-(2-isopropyl-4-methyl-6-pyrimidinyl-) thiophosphate 67
®Dimetan 53
2-dimethylcarbamyl-3-methylpyrazolyl-(5)-dimethylcarbamate 53
O,O-dimethyl-2,2-dichlorovinyl-phosphate 77
5,5-dimethyl-dihydroresorcinol-dimethylcarbamate 53
O,O-dimethyl-O-(3-methyl-4-methylmercaptophenyl-) thiophosphate 67
Dimetilan 53
Dinocap 1, 6, 7, 9—16, 35, 36, 40, 42
®Dipterex 63
Dithiocarbamates 1
Dithiol carbonates 3, 4
Dithio-S,S-6-methylquinoxalinyl-(2,3)-carbonate 4
DNOC tar oil 31, 32
Downy mildew of grape 12

E

®E 605 84
Earwigs 76
Ectoparasites 57
®Eradex 3, 17, 24—31, 37, 46—49
Eradicative action 9, 10, 11, 35
Erigeron 37
Erysiphaceae 4
Erysiphe cichoracearum 2, 4, 9 13—15, 34, 45
Ethylene dibromide 45
European gooseberry mildew 12
European red mite 3

F

Fannia canicularis 59
Fascioliasis 102
Fenchlorvos 73
Field analytical method for Bayluscide 114—122
Fish 141 ff.
Fleas 76
Flies 54, 58, 62—64, 78
Floating formulations of Bayluscide 117—122
®Folidol Oil 32
®Folithion 77
Fruit growing 6—12, 24—32, 34—43
Fusarium 45

G

Golden spider beetle 77
Gooseberry mildew, American 12
Gooseberry mildew, European 12
Grain weevils 58
Grape vine 12—13
Gummosis 45
®Gusathion W.P. 39

H

Helenium 37
Helianthus 15, 37
Herbicides 104—105
Hornets 76
Household and stored-product pests 53, 57—60
Human body lice 76
Hydrodictyon reticulatum 141

I

Isolan 53
2-isopropoxyphenyl-N-methyl-carbamate 53—92
1-isopropyl-3-methylpyrazolyl-(5)-dimethylcarbamate 53
Ixodidae 77

K

Kasuarina equisitifolia 120
Kelthane 38
Kissing bugs 78

L

Laboratory methods for determining Bayluscide 110—114, 130—139
Leaf blotch 45
Leucophaea madeirae 58, 60, 75, 76
®Lonacol 39
Lucilia sericata 59
Lymnaea 107
Lymnaea auricularia 140

M

Maintenance of achieved state of rat clearance 158, 165—172, 174—183
Malathion 77
Malus floribunda 10
Maneb 12
Market gardening 34—43
Meloidogyne sp. 45
Metatetranychus ulmi 26—32, 37, 38
6-methyl-2,3-quinoxaline dithiol cyclic carbonate (6-methyl-quinoxaline-2,3-cyclic-dithiol carbonate) 3, 4, 25, 48—50
Microsphaera grossulariae 12
Microsphaera ribis 36
Mildews, powdery 1, 4, 6, 9
Millipedes 77
Mineral oil 31, 32
Molluscicides 93—156
®Molucide 124
®Morestan 1—51
Morestan, acaricidal action 25—32
Morestan, biological activity 6—17
Morestan, chemical and physical properties 4—5
Morestan Dust 5
Morestan, residues and their analysis, safety intervals 17—20
Morestan, toxicology 5—6
Morestan Wettable Powder 5
Mosquitoes 62, 78
Musca domestica 54, 58, 61, 62, 64, 68
Myriophyllum sp. 141

N

NaPCP 153—155
1-naphthyl-N-methylcarbamate 53
Natural enemies of spider mites 46
Nematodes 45
Niptus hololeucus 77

O

Oidium chrysanthemi 15
Oidium tabaci 16
Ornamentals 15, 16, 43
Ornithodoros moubata 58, 59, 61, 62
Oxy thiochinox 4, 20
Oxythioquinox 4

P

Parathion-resistant spider mites 46, 49
Peach mildew 11
Pear sucker 32
Pear varieties, tolerance of Morestan on 41
Perches 143
Periplaneta americana 58, 60, 64—67, 70, 71, 75, 76, 82, 88, 91
1-phenyl-3-methylpyrazolyl-(5)-dimethylcarbamate 53
Phlox 15, 37
Phytoseiulus riegeli 46, 47, 49
Plasmopara viticola 12
Podosphaera leucotricha 1, 6, 9, 10
Podosphaera oxyacanthae 15
Ponera punctatissima 83, 84
Powdery mildew of grape 12, 13
Powdery mildews 1, 4, 6, 9
Powdery mildews, control of 1—23, 34—51
Protective action 9, 10
Psylla piri 32
Public health insecticide — Baygon 53—92
Public health pests 53
Pyrethrum 63, 67, 77
®Pyrolan 53

Q

Quinoxaline-2,3-cyclic dithiol carbonate 4
Quinoxaline-2,3-cyclic trithiocarbonate 3, 46—48
Quinoxalines, 2,3-disubstituted 1, 2

R

Racumin 57 157, 173, 181
Rat control, area-wide 165—182
Rat control, Hamburg 157—162
Red ants 84—86
Residues of Morestan and their analysis 17—20
Rhipicephalus evertsi 54
Rhodnius prolixus 58, 59, 78
Roaches 143
Rodenticides 158 ff.
Root knot nematodes 45

Rose mildew 15, 16
Roses 15, 16, 37

S

Safety intervals for Morestan 17—20
Scabiosa 37
Schistosoma haematobium 97
Schistosoma japonicum 93
Schistosoma mansoni 97
Schistosome dermatitis 140—145
Schistosome-infected snails 104
Schistosomiasis, control of 93—109
Silverfishes 76, 78
Sitophilus granarius 59
Snail control 100—105, 110—155
Soft fruit 12
®Solbar New 40, 42
Solidago 15, 37
Sowbugs 77, 78
Sphaerotheca humuli 11
Sphaerotheca mors uvae 12
Sphaerotheca pannosa 15
Sphaerotheca pannosa var. *persicae* 11
Spider mite control on fruit crops 24—32, 39
Spider mites 1, 3, 4, 24 ff., 39, 45, 46
Spider mites resistant 25, 26
Spiders 77
Stethorus punctillum 46, 47
Stomoxys calcitrans 54, 59
Stored-product pests 53, 57—60
Strawberry mildew 11
Sulphur compounds 1
Swimmer's itch 140
®Systox 25, 39

T

Test product 4964 4, 5
Test product 5042b 5
Tetranychus telarius 4
Tetranychus urticae 25, 26, 37, 39, 45—47, 49, 51
Tetrasul 38, 39
Ticks 54, 77
TMTD 39
Tobacco mildew 16, 17
Toxicology of Morestan 5—6
Tree nurseries 43
Trematode infections 102
Triatoma infestans 58, 59, 78
Trithiocarbonates 2, 4
®Tugon 63
Tugon Bait 63—66
®Tuzet 39

U

Uncinula necator 12—13

V

Vegetables 13—15
Venturia inaequalis 1

W

Wasps 76
®Wepsyn 40, 42
Wettable sulphur 1, 11, 29
Wilt of cucumber 45
WL 8008 124

Z

Zineb 12, 39

E. 22—627/426 Printed in Germany